

IMFINZI®

(durvalumab)

PATIENT MEDICATION GUIDE

1. WHAT IMFINZI IS AND WHAT IT IS USED FOR

IMFINZI (durvalumab) is used to treat various types of cancer and works by helping your immune system fight your cancer. IMFINZI may be given alone or in combination with other anti-cancer medicines. If you have any questions about these medicines, please ask your doctor.

2. WARNINGS AND PRECAUTIONS

Tell your doctor before you are given IMFINZI if you have:

- an autoimmune disease (an illness where the body's immune system attacks its own cells);
- an organ transplant;
- lung problems or breathing problems;
- liver problems.

3. MONITORING AND REPORTING SIGNS OF SIDE EFFECTS

In some patients, IMFINZI can cause the immune system to attack normal organs and tissues and can affect the way they work. These problems can sometimes become serious or life-threatening and can lead to death if left untreated.

While you are on IMFINZI, you will need to look out for any signs of side effects. However, keep in mind that you may have been experiencing side effects from your cancer or previous treatments before you started treatment with durvalumab.

CATCH YOUR SIDE EFFECTS EARLY

If a side effect is identified early, it may be managed before becoming more serious and possibly causing treatment to be stopped.




It is important to let your doctor know of any changes in your body. Talk to him/her about how you are currently feeling, new signs of side effects, or any other change. Remember, a small side effect can lead to something more serious if not treated.









If you have any questions about your treatment, ask your doctor. The information in this brochure does not take the place of talking to your care team about your cancer or treatment.

Do not attempt to treat side effects yourself before talking to your doctor.

4. IMPORTANT SIGNS AND SYMPTOMS TO LOOK OUT FOR

Like all medicines, IMFINZI can cause side effects, although not everybody gets them.

<p style="text-align: center;">Look out for the following signs and symptoms so they may be caught and managed early. Call or see your doctor as soon as it is possible if you develop any of the following signs and symptoms or if they get worse. Do not attempt to treat any of the symptoms without talking to your doctor first.</p>					
INFLAMMATION OF LUNGS		HORMONE GLAND PROBLEMS (ESPECIALLY THE THYROID, ADRENALS, PITUITARY AND PANCREAS)		INFLAMMATION OF KIDNEYS	
	<ul style="list-style-type: none"> • New or worsening cough • Shortness of breath • Chest pain 		<ul style="list-style-type: none"> • Fast heart rate • Extreme tiredness • Weight gain or weight loss • Dizziness or fainting • Feeling more hungry or thirsty than usual • Headaches that will not go away or unusual headaches • Hair loss • Feeling cold • Constipation • Changes in mood or behaviour, such as decreased sex drive, irritability or forgetfulness • High blood sugar • Passing urine more often than usual • Fast and deep breathing • Confusion • A sweet smell to your breath • A sweet or metallic taste in your mouth • A different odour to your urine or sweat 		<ul style="list-style-type: none"> • Producing less urine than normal • Blood in urine • Swollen hands or legs • Painful urination

INFLAMMATION OF LIVER				SKIN PROBLEMS (RASH or DERMATITIS)	
	<ul style="list-style-type: none"> • Yellowing of your skin or the whites of your eyes • Severe nausea or vomiting • Pain on the right side of your stomach • Drowsiness • Dark urine (tea coloured) • Bleeding or bruising more easily than usual • Feeling less hungry than usual 				<ul style="list-style-type: none"> • Rash • Itching • Skin blistering • Ulcers in mouth or other mucous membrane • Easy bruising
INFLAMMATION OF INTESTINE		INFLAMMATION OF HEART		INFLAMMATION OF MUSCLES	
	<ul style="list-style-type: none"> • Diarrhoea • More bowel movements than usual • Stools that are black, tarry, sticky, or have blood or mucus • Severe stomach pain or tenderness 		<ul style="list-style-type: none"> • Shortness of breath during exercise or exertion • Tiredness • Heart palpitations • Chest pain 		<ul style="list-style-type: none"> • Muscle pain or stiffness
OTHER SYMPTOMS		INFUSION-RELATED REACTIONS		INFLAMMATION OF BRAIN	
	<ul style="list-style-type: none"> • Neck stiffness • Fever • Confusion • Changes in mood or behaviour • Blurry or double vision • Eye pain or redness • Other vision problems • Hoarseness of voice • Night sweats • Dental infection 		<ul style="list-style-type: none"> • Chills or shaking • Itching or rash • Flushing • Shortness of breath or wheezing • Dizziness • Fever 		<ul style="list-style-type: none"> • Seizures • Headache • Fever • Chills • Vomiting • Confusion • Sleepiness

5. ADDITIONAL SAFETY INFORMATION

- If you experience any side effects, talk to your doctor.
- Getting medical treatment right away may help keep these problems from becoming more serious.
- Your healthcare provider will check you for these problems during your treatment with IMFINZI.
- Your healthcare provider may delay or completely stop treatment with IMFINZI if you have severe side effects.
- If you visit the emergency room or doctor who is not your regular care team, it is important to tell them that you are getting an immunotherapy.

This document (VV-RIM-07045327 v6.0) has been approved by HSA as of 13-May-2026.