

**I am under anticoagulation treatment with
JBRIVO (Rivaroxaban) film-coated tablet**

Name	

Address	

_____	_____
Date of birth	Weight

Other medications conditions	

In case of emergency, please notify:

Doctor's name

Doctor's phone

Please also notify:

Name

Phone

Relationship

Patient Alert Card

JBRIVO FILM-COATED TABLET 10mg

JBRIVO FILM-COATED TABLET 15mg

JBRIVO FILM-COATED TABLET 20mg

Tick the prescribed dose

- ◆ Keep this card with you at all times.
- ◆ Present this card to every physician or dentist prior to treatment.

Information for healthcare providers:

INR values should not be used as they are not a dependable measure of the anticoagulant activity of JBRIVO (Rivaroxaban) film-coated tablet.

United Italian Trading Corporation (Pte) Ltd

What Should I Know About JBRIVO FILM-COATED TABLET?

- JBRIVO FILM-COATED TABLET thins the blood, which prevents you from getting dangerous blood clots.
- JBRIVO FILM-COATED TABLET must be taken exactly as prescribed by your doctor. To ensure optimal protection from blood clots, never skip a dose.
- You must not stop taking JBRIVO FILM-COATED TABLET without first talking to your doctor as your risk of blood clots may increase.
- Tell your healthcare provider about any other medicines you are currently taking, took recently or intend to start taking, before you start JBRIVO FILM-COATED TABLET.
- Tell your healthcare provider that you are taking JBRIVO FILM-COATED TABLET before any surgery or invasive procedure.

When Should I Seek Advice from My Healthcare Provider?

- When taking a blood thinner such as JBRIVO FILM-COATED TABLET it is important to be aware of its possible side effects.
- Bleeding is the most common side effect. Do not start taking JBRIVO FILM-COATED TABLET if you know you are at risk of bleeding, without first discussing this with your doctor.
- Tell your healthcare provider straight away if you have any signs or symptoms of bleeding such as the following:
 - Pain
 - Swelling or discomfort
 - Headache, dizziness or weakness
 - Unusual bruising, nosebleeds, bleeding of gums, cuts that take a long time to stop bleeding
 - Menstrual flow or vaginal bleeding that is heavier than normal
 - Blood in your urine which may be pink or brown, red or black stools
 - Coughing up blood, or vomiting blood or material that looks like coffee grounds

How Do I Take JBRIVO FILM-COATED TABLET?

- To ensure optimal protection, JBRIVO FILM-COATED TABLET
 - 10mg can be taken with or without food
 - 15mg must be taken with food
 - 20mg must be taken with food

This document has been approved by HSA as of 06-05-2026