

CUSTOMER INFORMATION

URGENT FIELD SAFETY NOTICE

UPDATE OF CALIBRATION VALUE SHEET

Calibrator TruCal U Lot 26474 Interchanged units for Lactate

Date	05.06.2019
Product / Lot	TruCal U (Cat. No. 5 9100 ...) / Lot 26474
Explanation	The calibration value of Lactate in mg/dL has been interchanged with the calibration value in mmol/L.
Impact on patient results	Mandatory control measurement after calibration will indicate a recovery out of confidence interval. Hence, no diagnosis of patient is allowed.
Measures	Replace the erroneous target value sheet of TruCal U Lot 26474 version 28.02.2019 by the corrected target value sheet with version 31.05.2019 and inform all affected users.

Updated target value sheets can be obtained by using the link below:
<http://www.diasys-diagnostics.com/service-area/value-sheets/>

DiaSys has announced this field safety notice to the relevant authorities of the European Union. Customers outside the EU are asked to handle necessary announcements to authorities in their countries.

Under current regulations we are obliged to provide a complete chain of evidence of all corrective measures for our products. For this reason, we would like to ask you to fill in and sign the attached confirmation that you have received and communicated this information to all concerned customers. Please send it back by fax or as scan until 21.06.2019.

Please accept our sincere apologies for the inconvenience caused. In case you have any questions, please do not hesitate to contact us.

Kind regards

David Ehlers
Product Management